

CERTIFICATE

No. U6 102213 0079 Rev. 01

Holder of Certificate: **Signify (China) Investment Co., Ltd.**
Building No. 9, Lane 888, Tianlin Road
Minhang
200233 Shanghai
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: **Power supply
(LED Driver)**

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 701282010801-01

Date, 2020-07-20



(Yin Ji)

CERTIFICATE

No. U6 102213 0079 Rev. 01

Model(s): Xi LED Transformer 250W 1-10V 24VDC,
 Xi LED Transformer 150W 1-10V 24VDC,
 Xi LED Transformer 100W 1-10V 24VDC,
 Xi LED Transformer 60W 1-10V 24VDC,
 Xi LED Transformer 30W 1-10V 24VDC,
 CertaDrive LED Transformer 250W 24VDC

Brand Name: KLITE, PHILIPS

Parameters:

Rated voltage: 220-240V~
 Rated frequency: 50/60Hz
 Rated input current: See model list
 Rated output: See model list
 Protection against electric shock : SELV
 Degree of protection: IP20
 Method of installation: Independent
 Type of output: Constant voltage type
 ta; tc: See model list

Model	Rated input current (A)	Power factor	Rated output voltage (VDC)	Rated max. output current (mA)	Max. output power (W)	ta/tc (°C)	Dimming method
Xi LED Transformer 250W 1-10V 24VDC	1.5	0.95	24	10420	250	45/90	1-10V
Xi LED Transformer 150W 1-10V 24VDC	0.9	0.95	24	6250	150	45/90	1-10V
Xi LED Transformer 100W 1-10V 24VDC	0.6	0.95	24	4170	100	45/90	1-10V
Xi LED Transformer 60W 1-10V 24VDC	0.35	0.95	24	2500	60	45/80	1-10V
Xi LED Transformer 30W 1-10V 24VDC	0.19	0.95	24	1250	30	45/80	1-10V
CertaDrive LED Transformer 250W 24VDC	1.5	0.95	24	10420	250	45/90	Non-dimmable

Tested according to: EN 61347-1:2015
 EN 61347-2-13:2014/A1:2017
 EN 62384:2006/A1:2009

Production Facility(ies): 001498, 076089